

Veer Surendra Sai University of Technology, Odisha, Burla

(Formerly Established by Government of Odisha as University College of Engineering, Burla:1956)

Sponsored Research & Industrial
Consultancy



Phone: +91 663 2430 211
Fax: +91 663 2430 204
e-mail: src_office@vssut.ac.in
Po. EC BURLA-768018, Odisha, India
www.vssut.ac.in

No. VSSUT/~~SRIC~~/951/2023

Date: 03 /05/2023

TENDER CALL NOTICE

The Production Engineering Department of Veer Surendra Sai University of Technology, Burla, invites sealed Tender from registered firm having valid GST clearances for supply of **"Damage analysis of Laminated Composite plate subjected to various impact load in a viscous medium"** for Production Engineering Department.

The interested firms may download the details from the University web site and submit the Tender paper to the undersigned by 15.05.2023 up to 1 PM through registered Post only. The envelope containing the Tender must be super scribed **"Damage analysis of LCP Testing Rig"** at the left hand top corner.

For the details information, Please visit University website: www.vssut.ac.in

REGISTRAR
3/5/23

Memo. No. VSSUT/⁽⁶⁾952/2023

Date: 03 /05/2023

1. University Notice Board.
2. Director I & PR Department Govt. of Odisha, Bhubaneswar with a request to Publish the above advertisement in one issue of the Odisha daily edition (All Odisha Editions) of The Samaj using minimum space at I&PR approved/lowest rates on or before 04 /05/2023. The bill may be sent to the Registrar, VSSUT, Burla -768018 in triplicate along with copies of the paper in which the publication is made for necessary payment.
3. The Dean, Faculty & Planning with a request to display the advertisement in University website.
4. The Comptroller of Finance for information & necessary action.
5. PA to VC for kind information of Vice-Chancellor, VSSUT, Burla
6. PA to Registrar for kind information of Registrar, VSSUT, Burla.

REGISTRAR
3/5/23

SPECIFICATIONS OF GOODS

Sl. No.	Description of the materials and accessories in the equipment of Damage analysis of LCP testing Rig	Quantity
1	Size of the equipment	4ft × 3 ft × 4ft
2	Personal Computer (inbuilt image processing software for crack quantification /force sensor analysis/ WIFI / Intel Core i5 / 8GB RAM/120 GB SSD/ 1TB HDD/ Windows 10Pro (MS Office Included)) with power backup 30	1
3	Reciprocating pump (AC: 240 V, 50 Hz /2H.P., Min Pressure of 60 PSI/ flow: 5000-10000LPH	1
4	Swivel table with job holding fixture (1ft×1ft) and thickness variable (0 to 12 mm)	1
5	Force sensors: (Operating Temperature: -4°C-85°C/ 200N)	2
6	Vibrating sensor with the analyzer for crack detection	1
7	Magnetic stirrer (: microprocessor Controlled/ hotplate/ capacity 2L/ Min Speed: 1500rpm)	1
8	High Precision Weight balance (Digital/ 0.01gm-500gm)	1
9	Profile cutting machine: (No Load Speed of 1450 rpm/ Single Phase AC: 240 V, 50 Hz/ Cuts Capacity: 2 inches thick with a 16-inch throat depth)	1
10	Composite polish machine	1
11	Low-speed imaging camera (Monochrome Camera/ 720 x 540/ Sensing Area, H x V (mm): 4.97 x 3.73/ shutter speed: 522.00fps/ Exposure Time: 4μs - 30s/ Resolution (Mega Pixels): 0.40)	1
12	Oven (Digital controlled/ heating in range of 50 °C to 250 °C/ Single phase AC: 240 V, 50 Hz/ 300 mm × 300 mm × 300 mm inner space)	1
13	Programmable Microcontroller (UNO R3/ 328P/ 14 digital input output pins, 6 analog inputs, a 16 MHz quartz crystal)	2
14	Vacuum gauge 160	1



P.T.O

15	Pressure gauges	1
16	gate valves 1 inch	2
17	Nozzle 3 mm	1
18	Nozzle 4mm	1
19	Nozzle 5	1
20	Feeding changer set-up maximum capacity 3 inch	1
21	Detachable close mold for preparing LCP Samples (inner size 13 inch × 13 inch × 1 inch) SS 202, 16-18 gauge, channels, plates, pipe, etc.,	1
22	All metal structural materials (plates, pipe, angle, etc., must be SS202) (Refer Assembly sheet)	As per Sketch's requirement
23	Transparent toughened acrylate fiber (thickness 6 mm) at the top of the operating tank must be attached for good visibility.	As per Sketch requirement

9/

INVITATION FOR BIDS:

Sealed Bids i.e. both Technical Bid (first sealed packet) and Price Bid (second sealed packet) sealed together in one envelop are invited by the "The Registrar, Veer Surendra Sai University of Technology, Odisha" from the manufacturers/authorized distributors/ dealers for supply of Instrument, equipment, machineries etc. of reputed make for the Civil Engineering Department, VSSUT Burla, Odisha.

The Bidders may download the Tender Documents directly from the website available at <http://www.vssut.ac.in> and submit the bid along with the Tender cost fee of Rs. 1000/- (Non-refundable) in the form of Demand Draft drawn in favor of "The Comptroller of Finance, Veer Surendra Sai University of Technology, Burla" payable at SBI, Burla. In case of any bid clarification, responsibility lies with the bidders to collect the same from the website and the purchaser shall have no responsibility for any delay/ omission on part of the bidder.

TIME SCHEDULE:

- a) Price of bidding document: Rs. 1000/- (Non-refundable).
- b) Date of commencement of downloading bidding document 4/5/23 at 4 PM.
- c) Last date and time for Receipt of bids 25/5/23 up to 1 PM.
- d) Place Of Opening Of Tender And Address For Communication and receipt Of Bid Documents:

The Registrar

Veer Surendra Sai University of Technology, Odisha
At- Burla, Po-Burla Engineering College, Dist-Sambalpur-768018,
Tel. No-0663-2430211 Fax No-0663-2430204



GENERAL TERMS AND CONDITIONS

Document Establishing Bidders Eligibility and Qualification:

The Builder shall furnish as part of the bid the following documents establishing bidder's eligibility and qualification to the purchaser's satisfaction. Non-compliance with any of these conditions shall disqualify the eligibility.

Original equipment manufacturers/ importers/ authorized distributors/ dealers having valid license/ certificate for the quoted item and direct importers holding valid import license manufacture/ authorized distributor/ dealer of the product are eligible to participate in the bid.

The Bidder whether manufacturer/ distributor/ dealer must have experience in supply and installation of the quoted items in different Institute of national repute.

The bidder shall quote item(s) of a reputed brand/model with all accessories in complete in all respect to perform the functionality of equipment/machinery.

Document Establishing Goods Eligibility:

The instruments and equipment offered against the schedule of requirement of instruments, equipment, and machinery should be in accordance with the stipulated specification and of one reputed brand/model (N.B: variation in the specification is allowed up to $\pm 5\%$ in case of machinery/equipment)

The documentary evidence establishing the brand and the model may be in the form of literature, pamphlets, manuals, drawing, circuit diagrams etc.

A detailed description of instruments and equipment with essential technical and performance characteristics may also be furnished.

Technical Bid:

The Following document should be submitted in Cover –A

1. Earnest Money Deposit
2. Technical details of the equipment
3. Copy of the manufacturing license/ import license/ Authorization Distributor/ Dealer certificates
4. Copy of the authorization from the manufacturing company in case of authorized Distributer/ Dealer Along with Manufacture industry Registration and Tax Registration Certificate.
5. Copy of the IT PAN Card, GSTN.
6. The original bid Document signed & sealed by the authorized person on each page as a token of acceptance of all terms and conditions of the tender with original receipt.
7. Any deviation in the specification of the item including standard accessories / Optional accessories in complete for the functionality of the machine should be marked in bold letters. (N.B: Variation in the specification is allowed up to $\pm 5\%$ in case of Machinery/Equipment)



Price Bid:

1. The hard copy of the price bid giving the rates for various instruments & equipment and other items should be submitted. The price Bid of the bidders who qualify in Technical Bid will only be opened.
2. The price of each item shall be quoted as per the prescribed Price Schedule Format in Annexure – I along with price break up of taxes admissible, Packing, Forwarding and Handling charges, Insurance charges, ET, Freight up to destination including unloading, Commissioning including testing and training with total price per Item at for VSSUT Burla. The bidders are required to submit the individual price of each instruments) and equipment(s) as indicated in the schedule of requirements. For imported equipments the quoted price should be in the currency of the country of origin.
3. Tax clearance certificate up to date where applicable.
4. Each quoted item and all accessories should cover the Warranty/ Guarantee for 2 years From the date of Commissioning (Annexure-II)

BID CONDITIONS:

1. The quoted rate shall not vary with the quantum of the order placed or destination point.
2. A copy of the original bid conditions and the schedules should be signed by along the bidder at the bottom of each page with the office seal duly affixed and returned along with the bid. The bid schedule should be duly filled in with an index and page number for the documents, enclosures & EMD, etc.
Paging must be done for all the documents.
3. Bids should be typed written or Computerized and every correction/overwriting in the bid should invariably be attested with the signature of the bidder with date before submission of the bids to the authorities concerned. No revision of price upward or downward will be allowed once the bid is opened. However, the purchaser shall have the right for considering the exchange rate of foreign currencies on verification of documents.

Bid Price:

- The contract shall be for the full quantity as described above. Correction, if any , shall be made by crossing out, initialing, dating, and re-writing.



- All duties, taxes, and other levies payable on the raw materials and components, the job contract shall be included in the total price.
- Taxes in connection with the sale shall be shown separately.
- The rates quoted by the bidders shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- The price shall be quoted in Indian Rupees only.

Tax Clearance:

Copies of valid Tax clearance Certificates shall be furnished by the Bidders and the originals of the above certificates shall be produced to the purchaser before placement of notification of award if asked for by the Purchaser.

EMD:

All bidders are required to submit EMD not less than 1% of the quoted amount in the shape of a demand draft drawn in favour of " The Registrar, VSSUT, Burla" Payable at SBI, Burla only. The EMD Shall be in Indian rupees.

NOTE: Non-submission of EMD or submission of less EMD than the desired one or submission of EMD in any other form except Demand Draft shall result in rejection of Bid. The EMD deposited against other Bids cannot be adjusted or considered for this Bid. No interest is payable on EMD.

SUBMISSION OF BIDS:

Sealing and making of Bids

Bid should be submitted only through REGISTERED POST/ SPEED POST in two Bid systems containing two parts as detailed below.

Sealed Cover-A: Technical Bid.

Sealed Cover-B: Price Bid.

Both the sealed envelopes should then be put in one outer cover and each cover should have the following indication:

- Reference No of Bid _____
- Due date & time for submission of the Bid _____
- Name of the Firm _____

Note:

- Bids submitted without following two bid system procedures as mentioned above will be summarily rejected.



- 11
- B. Please note that prices should not be indicated in the technical bid. The Prequalification documents including EMD as required in the Bid document should invariably be accompanied with the technical Bid (Cover A). The outer envelope shall indicate the name and address of the bidders to enable the bid to be returned unopened in case it is declared "late". If the cover containing the outer envelope is not sealed and marked as required. Purchaser will assume no responsibility for the Bids misplacement or premature opening.

The above procedure shall be adopted both for the technical bid and price bid separately. Telex cable, Email or Facsimile Bids submitted by hand will not be entertained.

Deadline for Submission of Bids:

Bids must be received by the purchaser at the address specified not later than the time and date specified in the invitation of bids. In the event of the specified date for the submission of bids being declared a holiday for the purchaser, the bids will be received up to the appointed time on the next working day. The purchaser may, at its discretion, extend this deadline for submission of bids by amending the bid document, in which case all previous rights and obligations of the purchasers and bidders will remain the same till the extended date.

Modification and Withdrawal of Bids:

No modification and withdrawal of Bids is allowed between the interval of time of submission and the last date and time of the bids.

No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the bidders on the bid form.

BID OPENING:

The Purchaser will open all bids, in the presence of bidder's representatives who choose to attend at **10:00AM on dated 16/05/2023 at the office of Registrar, VSSUT, Burla.**

The bidder's representatives who are present shall sign a register evidencing their attendance. In the event of the specified date of bid opening being declared a holiday for the purchaser, the bids shall be opened at the appointed time and location on the next working day.

The Bidder's name, the presence or absence of the requisite EMD, and such other details as the purchaser, at its discretion, may consider appropriate will be announced at the opening.



No bid shall be rejected at bid opening, except for late bids, Which shall be returned unopened to the bidders.

Acceptance of the Bid:

- Bidders submitting bids would be considered who have considered and accepted all terms and conditions no enquire, verbal or written, shall be entertained in; respect of acceptance of the rejection of the bid,
- Genuine equipment and instruments etc. should be supplied. Bidders should indicate the source of supply i.e. name and address of the manufacturer from whom the items are to be sourced.
- Supply of equipment means installation and commissioning (except Civil works), demonstration as well as Training at the side. No separate charges will be paid on this account.

Rejection of the Bid:

- The bid document shall be out-rightly rejected under the following stipulation and no correspondence will be entertained whatsoever.
- If the bidder not furnished the required tender paper cost of EMD or EMD exemption certificate from the competent authority.
- If the bidder has not submitted the price as per the specified Annexure-I.
- If the bid is not supplemented with backup standard accessories and Optional accessories and the cost of AMC separately for three years after the completion of the warranty period (In case of Major Machinery only).
- Photocopy of the up-to-date valid manufacturing license/ import license (if it is imported)/ Dealership certificate/ distributed certificate of the product along with tax registration certificate of the manufacturer issued from the competent authority.
- If the bidder whether manufacturer or authorized distributor/dealer has not supplied the required quantity for qualification as per the eligibility criteria and not submitted the performance statement at Annexure- IV with supporting documents.
- If the quoted product of the bidders did not conform to the technical specification with complete accessories for functional equipment/ machinery and standard of workmanship required by the purchaser.
- If the bidder not furnished technical details of the equipment and machinery with one make and model as per the Annexure- V.



- If the bidder will quote the items more than one make/model.
- If the bidder has not submitted the details catalogue, foundation drawing and schedule of supply of items, if required.
- If the bidder has not agreed to give bid validity.
- Furnishing of wrong/ambiguous information in the compliance statement may lead to rejection of bid and further blacklisting of the bidder if prima-facie it appears that the information in the compliance statement was given with a malafide or fraudulent intent.

Purchaser's Right to accept any Bid and to reject any Bid:

The purchaser reserve the right to accept or reject any bid and to annul the bidding process and reject all the bids without assigning any reason thereof any time prior to award of the contract, without thereby incurring any liability to the affected bidders or bidder on the grounds of such action of the purchaser. In case of bidder qualifies as per the qualifying criteria and standards, the purchase may at his discretion relax the qualification criteria for the award of the contract.

Evaluation and Comparison of Bids:

The comparison shall be of For Destination Price Basis Including The Price Of All Costs Wherever Applicable As Well As Duties And Taxes Or Payable On Machineries, Instruments And Equipment Incorporated Or To Be Incorporated In The Items including the warranty/guarantee period from the date of installation.

- The purchaser's evaluation of a bid will take into account, in addition to the bid price and the price of incidental services.
- The purpose of bid evaluation is to determine a substantially responsive grid with the lowest evaluated cost, but not necessarily the lowest submitted price, which should be recommended for award.
- Evaluation of bids should be made strictly in terms of provisions in the bid document to ensure compliance with the commercial and Technical accepts.
- The past performance of the supplier will be taken into account while evaluating the bids.
- Cost of the inland transportation, insurance, and other costs within the purchaser's country incidental to the delivery of the goods to their Final Destination.
- Alternative options of Offer shall not be allowed.
- Each bidder shall submit only one quotation with one make and model.



- The quotation would be evaluated separately for each item.
- Sales tax in connection with sales of goods shall not be taken into account in the evaluation.

Supply Conditions:

Delivery of Goods:

The delivery of goods shall be made by the supplier to the Consignee in accordance to the order placed as shall be detailed in the schedule of requirements and technical specifications.

Warranty Period (Comprehensive):

The bidder must quote for a minimum period of 1 year a comprehensive warranty from the date of completion of the satisfactory commissioning as per (annexure-II). This also includes all accessories related to instruments and equipment quoted for.

Payment Terms:

No advance payment will be made by the purchaser to the supplier for the performance of the contract. 100% of the contract price shall be paid within 30 days after satisfactory supply, installation, demonstration, commissioning, and training, and stock entry of bills of the goods within the due date of delivery.

Transportation:

The supplier shall be required to meet all transport and storage expenses until the commissioning of the instruments/ equipment covered in the contract.

Taxes and Duties:

The supplier shall entirely responsible for payment of all taxes, duties etc. Incurred until delivery of the contract goods to the consignee subject to recovery afterwards in the bill as claimed in the bid offer. Income tax as applicable shall be deducted at source.

Period of Validity of Bids:

- The bid rates should kept open/ valid for a period of 180 days from the date of Bids are opened.
- A bid valid for a shorter period that is less than 180 days shall be rejected, as non-responsive.
- In the absence of any indication of the date of validity in the Bid, It will be presumed that the offer will remain valid for the minimum period that is 180 days as prescribed above.

Penalty against Non-supply:



In case of non-supply of stores within the due date that is within the date of delivery the EMD deposited by the bidder shall be forfeited.

Annual Maintenance Contract:

The cost of the annual maintenance contract for the next 3 years after the warranty period shall be submitted as per the Annexure at I (b). The after-sales service during and after the warranty/ guarantee period should be available from the company's own engineers.

Jurisdiction of the Court:

The purchaser and the supplier shall agree that the competent court at Sambalpur shall have the jurisdiction to try and decide anything between the parties and they may approach the competent court at Sambalpur if required at any time.

Terms & Condition

i) The supplier must supply all items at a time part supply will not be acceptable. Any loss or damage during the transit will be solely borne by the supplier.

ii) GST will be quoted separately at all times.

iii) Each Tender shall submit only one Tender along with the catalogue of the item.

IV) The purchase committee will evaluate and compare the quotations determined to be substantially responsive, i.e. which are properly signed and conform to the terms and conditions and specifications.

v) The Registrar reserves the right to accept or to reject any quotation and to cancel the quotation process and reject all quotations at any time prior to the award of contract without citing any reason thereof.

v) 100% Payment shall be made in Indian Rupees after successful delivery and installation of the items as per specifications and quantity.

vi) Sealed Tender is to be submitted/delivered at the address mentioned below.

**The Registrar, Veer Surendra Sai University of Technology, Burla
P.O.-Engineering College Burla.
Dist. Sambalpur-768018, Odisha**

vii) Any dispute arising out of the deal shall be subjected to the jurisdiction of the court at Sambalpur in the state Odisha.

REGISTRAR



SECTION-III: FORMS AND ANNEXURES
ANNEXURE-I (a)

PRICE SCHEDULE (ITEM-WISE)

Name of the Firm: _____

Sl. No.	Name of the Instrument Make: Model No: Country of origin	
01	(A1) Base Price/Unit	
02	(A2) All Taxes	
03	(A3) Freight Charge (if any)	
04	(A4) Any Other (If any, mention Details)	
05	(A) Total=A1+A2+A3+A4 in INR	
06	IN WORDS	

Note- (i) price bid Performa should be provided individually for all equipments.

(ii) Taxes like GST, freight, and other taxes/ charges, if any applicable must be explicitly mentioned in this price bid. Any type of correction/addition in price schedules shall not be permissible. Taxes mentioned elsewhere except this price bid will not be taken into consideration.



ANNEXURE-I (b)

PRICE SCHEDULE ITEM WISE -B

PRICE SCHEDULE FOR ANNUAL MAINTENANCE CONTRACT AFTER COMPLETION OF THE WARRANTY PERIOD

Sl. No.	brief description of goods total annual	quantity in numbers				annual maintenance contract cost 3 year that is $3*(4a+4b+4c)$
1	2	3	4			5
			1 st year	2 nd year	3 rd year	
			(a)	(b)	(c)	

Note:

1. the cost of the annual maintenance contract which includes preventive maintenance including testing and calibration as per technical/service/operational and manual/labour and spares after satisfactory completion of the warranty period may be quoted for the next three years on a yearly basis for complete equipment and turnkey (if any).
2. The cost of AMC may be quoted along with taxes applicable on the date of bid opening. The taxes to be paid extra should be specifically stated. in the absence of any such stipulation the price will be taken inclusive of all taxes and no claim for the same will be entertained later.
3. Cost of AMC will not be added for ranking/evaluation purposes. However, the cost of AMC for the lowest evaluated bidder is subject to negotiation.
4. The payment of AMC will be made as per the payment terms of the bid document.
5. The uptime warranty and downtime penalty shall be as per the bid document.
6. All software updates should be provided free of cost during the AMC period.
7. The stipulations in the technical specification will supersede the above provisions.
8. The supplier shall keep sufficient stock of spares required during the annual comprehensive maintenance contract period. In case the spares are required to be imported, it would be the responsibility of the supplier to import and get them costume cleared and pay all necessary duties.

Place:

Date:

Signature of Bidder
Business Address
Seal of the Bidder

9

ANNEXURE-II

WARRANTY MAINTENANCE CONTRACT AGREEMENT

This Agreement made theday of....., 20..... between the "the Registrar, Veer Surendra Sai University of Technology, Burla" (here in after " the purchaser") of the one part and M/s (Hereinafter called " the supplier") of the other part: whereas the purchaser invited bids for certain goods & ancillary services viz, supply and commissioning of the instruments and equipment at Burla including comprehensive warranty maintenance services and has accepted a bid by the supplier for the instruments and equipments specified below at the consignee site including comprehensive warranty maintenance services for a period of 2 year from the date of installation and commissioning of the instruments and equipment as per award of contract No.....

Name of the Equipment & Machineries	QTY
--	------------

(To be filled as per details of goods in the award of the contract)

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. Maintenance services shall consist of Preventive and Corrective maintenance of equipment specified above & will include repair and replacement of parts of cost.
2. Preventive maintenance, monthly once, Which includes:
 - 2.1 Check-up to ensure that device connection is proper, cabling is at proper condition etc.
 - 2.2 Cleaning of the above instruments & equipments and checking the system performance.
3. The supplier is to furnish the tentative schedule of the preventive maintenance of warranty maintenance contract (WWC) to be carried out.
4. The parts replaced must be new parts or equivalent in performance to new parts.
5. The supplier will also provide the same maintenance service in case of the movement of equipment from the place of original installation to a different place or location, if the equipment is shifted by the purchaser to another place or location at the cost and risk of the purchaser.
6. Any complaint informed through telephone must be acknowledged with a complaint No. by the supplier which will be noted by consignee. All further contact with the supplier on such complaint will be initiated through that complaint No. Once reflection is done that where complaints are to be noted along with Complaints are to be noted along with Complaint No.
7. The maintenance shall normally be done at the earliest.
8. The service Engineer of the supplier will be allowed to handle the respective plant and machineries only in presence of the officer in charge at the consignee site.
9. The supplier should ensure that maintenance job is not hampered/ delayed due to paucity of spares/inadequate manpower etc.
10. The supplier should submit the services call report, to the consignee for each and every service call without fail.



11. The supplier evaluation data format for the WMC of consignee systems may be filled up for necessary action.
12. All formats after filled up should be signed at the end of each page by the supplier.
13. After completion of the work/repair/maintenance, the purchaser shall issue a certificate of completion to the supplier to that effect.

Signature:

For the Purchaser:

Name:

Designation Address:

Telephone No.:

Signature:

For the Purchaser:

Name:

Designation Address:

Telephone No.:

ANNEXURE-III

MANUFACTURES' AUTHORISATION FORM

No. _____ / Date _____

To
The Registrar,
VSSUT Odisha
Burla, Sambalpur.

Dear Sir, Bid No. _____

We _____ who are established and
retable manufactures of _____ having factories at
_____ (Address of Factory) thereby authorize M/s. _____
(Name and Address of Agent) to submit a bid and sign the contract with you against the
above bid.

*No Company or firm or individual other than M/s. _____ are
authorized to bid and conclude the contract in regard to this business against this specific
invitation for bid.

We hereby extend our full guarantee and warranty as per the general conditions of the
contract for the goods and services by the above firm against this bid.

Yours faithfully,
(Signature for and on behalf of Manufactures)

Note: This letter of authority should be on the letterhead of the manufacturer and should be
signed by a person, competent and having the power of attorney to bind the manufacturer.
It should be included original by the Bidders in its bid.

- This Para should be deleted for simple items where manufacturers sell the product
through different stockiest.

9

ANNEXURE-IV
DETAILS OF THE BIDDERS

Bid Reference No.

Name and address of the Bidder:

- 1) Name of the bidder
 - A) Full postal address
 - B) Full address of the premises
 - C) Telephonic address
 - D) Telephonic number
 - E) Fax number
 - F) E-mail:
 - G) PAN No.
 - H) TIN No.
 - I) GSTN
- 2) Total annual turnover (value in Rupees)
- 3) Quality control arrangement details
- 4) Test certificate held
 - a) Type test
 - b) BIS/ISO certification
 - c) Any other
- 5) Details of staff
 - a) Technical
 - b) Skilled
 - c) Unskilled
- 6) Branch Office/ Contact Person/ Liaising Office in Odisha.
 - a) Address
 - b) Telephone No.
 - c) E-mail
 - d) Fax

Signature and seal of the Bidder

9

ANNEXURE-V

Technical details of the Machineries & Equipments to be supplied by the bidder

Bid Sl. No. Of the item	Tender specification	Bidders Specification with make and model no (Enclose manufactures catalogue/brochure for each item)	Deviation if any with university specification

Signature and seal of the Bidder

9

SECTION-VI:

SCHEDULE OF REQUIREMENTS AND TECHNICAL SPECIFICATIONS SPECIFICATIONS OF GOODS

Sl. No.	Description of the materials and accessories in the equipment of Damage analysis of LCP testing Rig	Quantity
1	Size of the equipment	4ft × 3 ft × 4ft
2	Personal Computer (inbuilt image processing software for crack quantification /force sensor analysis/ WIFI / Intel Core i5 / 8GB RAM/120 GB SSD/ 1TB HDD/ Windows 10Pro (MS Office Included))	1
3	Reciprocating pump (AC: 240 V, 50 Hz /2H.P., Min Pressure of 60 PSI/ flow: 5000-10000LPH	1
4	Swivel table with job holding fixture (1ft×1ft) and thickness variable (0 to 12 mm)	1
5	Force sensors: (Operating Temperature: -4°C-85°C/ 200N)	2
6	Vibrating sensor with the analyzer for crack detection	1
7	Magnetic stirrer (: microprocessor Controlled/ hotplate/ capacity 2L/ Min Speed: 1500rpm)	1
8	High Precision Weight balance (Digital/ 0.01gm-500gm)	1
9	Profile cutting machine: (No Load Speed of 1450 rpm/ Single Phase AC: 240 V, 50 Hz/ Cuts Capacity: 2 inches thick with a 16-inch throat depth)	1
10	Composite polish machine	1
11	Low-speed imaging camera (Monochrome Camera/ 720 x 540/ Sensing Area, H x V (mm): 4.97 x 3.73/ shutter speed: 522.00fps/ Exposure Time: 4µs - 30s/ Resolution (Mega Pixels): 0.40)	1
12	Oven (Digital controlled/ heating in range of 50 °C to 250 °C/ Single phase AC: 240 V, 50 Hz/ 300 mm × 300 mm × 300 mm inner space)	1
13	Programmable Microcontroller (UNO R3/ 328P/ 14 digital input output pins, 6 analog inputs, a 16 MHz quartz crystal)	2

9

14	Vacuum gauge 160	1
15	Pressure gauges	1
16	gate valves 1 inch	2
17	Nozzle 3 mm	1
18	Nozzle 4mm	1
19	Nozzle 5	1
20	Feeding changer set-up maximum capacity 3 inch	1
21	Detachable close mold for preparing LCP Samples (inner size 13 inch × 13 inch × 1 inch) SS 202, 16-18 gauge, channels, plates, pipe, etc.,	1
22	All metal structural materials (plates, pipe, angle, etc., must be SS202) (Refer Assembly sheet)	As per Sketch's requirement
23	Transparent toughened acrylate fiber (thickness 6 mm) at the top of the operating tank must be attached for good visibility.	As per Sketch requirement

9